

COMMISSIONS 27 AND 42 OF THE IAU  
INFORMATION BULLETIN ON VARIABLE STARS

Number 9999

Konkoly Observatory  
Budapest  
1 July 2002

*HU ISSN 0374 – 0676*

**GSC 00279-00321: A NEW W UMa ECLIPSING BINARY**

KOPPELMAN, M. D.<sup>1</sup>; TERRELL, D.<sup>2</sup>

<sup>1</sup> Starhouse Observatory, 1523 Valders Ave N, Golden Valley, MN USA e-mail: lolife@bitstream.net

<sup>2</sup> Dept. of Space Studies, Southwest Research Institute, 1050 Walnut St., Suite 400, Boulder, CO 80302 USA  
e-mail: terrell@boulder.swri.edu

<b>Name of the object:</b>
GSC 00279-00321

<b>Equatorial coordinates:</b>	<b>Equinox:</b>
R.A. = 11 <sup>h</sup> 57 <sup>m</sup> 51 <sup>s</sup> .278 DEC. = 06°27'04".70	2000

<b>Observatory and telescope:</b>
M. Koppelman: Private observatory, MN USA, 160-mm Newtonian astrograph; D. Terrell: Sommers Bausch Observatory, CO USA, 60-cm Boller and Chivens telescope; T. Droege: Private Observatory TOM1, Batavia, IL, dual 100-mm refractors

<b>Detector:</b>	M. Koppelman: SBIG ST-237A; D. Terrell: SBIG ST-8; T. Droege: Custom built dual CCD 442A
------------------	--

<b>Filter(s):</b>	M. Koppelman: None; D. Terrell: Johnson V; T. Droege: Johnson V and Cousins I, Bessell formulation
-------------------	--

<b>Date(s) of the observation(s):</b>
2002.02.07, 2002.05.31, 2002.06.01, 2002.06.06

<b>Comparison star(s):</b>	GSC 00279-00536 GSC 00279-00287
----------------------------	---------------------------------

<b>Transformed to a standard system:</b>	No
--	----

<b>Availability of the data:</b>
Through IBVS Web-site as file 9999.txt

<b>Type of variability:</b>	EW
-----------------------------	----

**Remarks:**

The variability of GSC 00279-00321 was clearly demonstrated by data acquired from the TASS survey (*viz.* Droege, 2002; Henden, 2001) in February of 2002. The period and nature of the variability was not immediately apparent. Figure 1 shows the TASS V-band discovery observations and follow-up V-band observations by Terrell.

Koppelman made extensive unfiltered observations to try to characterize the light curve. Figure 2 shows the characteristic shape of a W UMa binary. The system shows a large asymmetry of about 0.1 magnitudes between the maxima. The system may be associated with the X-ray source J115752.7+062658 as W UMa systems frequently show X-ray emission arising from coronal activity. Although our data are limited, there are indications that the system may exhibit light curve changes on time scales of weeks.

Using all of the available data, the period was determined by eye examination of phase plots at different trial values. Given the very limited temporal coverage of our observations, attempts to use more rigorous period-finding techniques were unsuccessful. A preliminary ephemeris for the system is

$$2452425.7329 + 0^d.2898 \times E \quad (1)$$

Coordinates are from the Tycho catalog, adjusted for proper motion by VizieR.

**Acknowledgements:**

Many thanks are due to Tom Droege, Arne Henden, John Greaves and everyone else involved with The Amateur Sky Survey (TASS). This research made use of the SIMBAD database, operated by the CDS at Strasbourg, France.

## References:

- Droege, T., The Amateur Sky Survey (TASS), 2002, <http://www.tass-survey.org/>  
 Henden, A., A., "The TASS Mark IV Photometric Survey", 2001, *JAAVSO*, 29,118.




Figure 1. TASS discovery (triangles) and Terrell follow-up (circles) V-band observations.




Figure 2. Koppelman unfiltered observations.